Trafalgar Chemicals - Safety Data Sheet

0278-CC

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021
Date printed: 18 September 2025

Section 1. Identification

1.1 Product Identifier 0278-CO

Product Name N,N-DIMETHYLFORMAMIDE pure 500ml.

CAS Number 68-12-2

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula (CH₃)₂ NCHO =73.09

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Trafalgar Chemicals

TRAFALGAR CHEMICALS Trafalgar Scientific Ltd. 190 Waterside Road

Leicester Leicestershire LE5 1QZ

UNITED KINGDOM

Phone 0116 2879460

Email info@trafalgarscientific.co.uk Website www.trafalgarscientific.co.uk

1.4 Emergency Telephone (08:00-17:00) +44(0) 116 2879460

(24hr) 112

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Flammable liquid, category 3 H226: Flammable liquid and vapour. Acute toxicity, category 4 (dermal) H312: Harmful in contact with skin.

Acute toxicity, category 4 (inhalation) H332: Harmful if inhaled.

Serious eye damage/irritation, category 2 H319: Causes serious eye irritation.

Reproductive toxicity, category 1B H360: May damage fertility or the unborn child.

2.2 Label elements

Labelling according to regulation (EC) 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Signal word Danger

Hazard Pictograms







Hazard Statements Flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. Causes serious eye irritation.

May damage fertility or the unborn child.

Precautionary Statements Wear protective gloves / protective clothing / eye protection. Obtain special instructions before use. IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue

rinsing. IF exposed or concerned: Get medical advice/attention.

Section 3. Composition

3.1 Substances

Component	CAS No.	EC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
N,N-dimethylformamide	68-12-2	200-679-5		>99%	Flam. Liq. 3,Acute Tox. 4 (D),Acute Tox. 4 (I),Eye Irrit. 2.Repr. 1B

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. In

severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION.

Inhalation Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If

breathing stops or shows signs of failing, apply artificial resuscitation. If unconscious place in the recovery

position. OBTAIN MEDICAL ATTENTION URGENTLY.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. OBTAIN MEDICAL ATTENTION.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Alcohol resistant foam, dry powder, or carbon dioxide. Use water spray to keep fire exposed containers cool.

Unsuitable Media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards Vapour-air mixtures are explosive.

5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

Ref: 0278-CO

protective clothing and breathing apparatus.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Avoid breathing vapour. Use approved personal protective equipment. Evacuate

area immediately. Do not allow general use of area until it is safe to do so. Beware: vapour is heavier than air and

will tend to accumulate at low spots.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local

Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with

copious amounts of water.

Minor Spillage Contain and absorb on inert material. Transfer absorbent to container for removal. Allow solvent to evaporate in

remote area, then dispose of absorbent as solid chemical waste. Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Keep well separated from oxidising agents.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term (8hr TWA)		Short Term 15min period)	
N,N- dimethylformamide	68-12-2	>99%	5.0 ppm	10.0 mg/m-3	10.0 ppm	30.0 mg/m-3

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

maintained chemical cartridge organic vapour respirator, or use self contained breathing apparatus.

Hand Protection Use solvent resistant gloves.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

-61°C

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid. Odour Faint 'amine-like: odour.

pH 6.7 Boiling Point 152.8°C

Trafalgar Chemicals - Safety Data Sheet

Melting Point

Flash Point 58°C (Open cup)

Upper Flammable Limit
Lower Flammable Limit
Auto Ignition

15.2%
2.2%
445°C

Explosive Properties Moderate/severe in confined spaces.

Oxidising Properties No

Vapour Pressure 3.7mmHg @ 25°C

Relative Density 0.9445

Water Solubility Completely miscible in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition.

10.5 Incompatible materials Strong oxidising agents. eg. inorganic and organic nitrates, phosphorous pentoxide, chromium trioxide etc.

10.6 Hazardous Decomposition Burning will produce toxic fumes of NOx, carbon monoxide and/or carbon dioxide.

Products

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes Both the vapour and liquid will be irritating to the eyes. Repeated exposure to the vapour can lead to

conjunctivitis.

Skin Can be absorbed through the skin and may cause irritation and dermatitis. Absorbtion can occur from

contaminated clothing.

LD50 Skin 1500mg/kg Rabbit

Ingestion Low order of acute toxicity. Symptoms are the same as for vapour inhalation.

LD50 Oral 2800mg/kg Rat

Inhalation The vapour is irritating and can cause gastrointestinal effects (eg. anorexia, nausea, vomiting, constipation and

diarrhoea). Exposure to more than 20ppm can lead to central nervous system effects, while prolonged exposure to

100ppm can lead to liver and kidney damage.

LD50 Inhalation Not available
TCLo Not available

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity Not considered to be a mutagen.

Section 12. Ecological

12.1 Toxicity No data available.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil No data available.

12.5 Results of PBT & vPvB

Assessment not required.

assessment

Ref: 0278-CO

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems due to high risk of explosion.

Contaminated Packaging Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion.

Section 14. Transport Information

14.1 UN Number 2265

14.2 Proper Shipping Name N,N-Dimethylformamide

14.3 Transport classes

UN classification 3
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 30
Tunnel Restriction Code D/E
Packing Group III

14.4 Packing Group III

14.5 Environment hazards See section 12.

14.6 Special precautions for

special precautions for user

No special precautions required.

14.7 Transport in bulk Not transported in bulk.

Section 15. Regulatory Information

 $15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE) as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Classification Flammable liquid, category 3; Acute toxicity, category 4 (dermal); Acute toxicity, category 4 (inhalation); Serious

eye damage/irritation, category 2; Reproductive toxicity, category 1B

Signal word Danger

Hazard Pictograms







LAMMABLE

Hazard Statements H226, H312, H332, H319, H360

Flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. Causes serious eye irritation.

May damage fertility or the unborn child.

Precautionary Statements P280, P201, P305+P351+P338, P308+P313

Wear protective gloves / protective clothing / eye protection. Obtain special instructions before use. IF IN EYES:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue

rinsing. IF exposed or concerned: Get medical advice/attention.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 18 September 2025

Copyright: 2025 Trafalgar Chemicals