Trafalgar Chemicals - Safety Data Sheet

0621-DH

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 2.0 29 June 2023 Revision date: Date printed: 18 September 2025 (Replaces revision 1.3 of 15 October 2021)

Section 1. Identification

Product Identifier 0621-DH

> Product Name SODIUM SILICATE SOLUTION 2.5L.

CAS Number 1344-09-8

REACH Registration No 01-2119448725-31-XXXX

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 **Supplier** Trafalgar Chemicals



Trafalgar Scientific Ltd. 190 Waterside Road

Leicester Leicestershire **LE5 10Z**

UNITED KINGDOM

Phone 0116 2879460

Email info@trafalgarscientific.co.uk Website www.trafalgarscientific.co.uk

(08:00-17:00) +44(0) 116 2879460**Emergency Telephone**

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation (EC) 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Skin corrosion/irritation, category 1A H314: Causes severe skin burns and eye damage.

Spec target organ tox - single, category 3 H335: May cause respiratory irritation.

2.2 Label elements

Labelling according to regulation (EC) 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Signal word Danger

Hazard Pictograms





Hazard Statements Causes severe skin burns and eye damage. May cause respiratory irritation. Precautionary Statements Wear pr

Wear protective gloves / protective clothing / eye protection. Wash thoroughly after handling. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing.

Section 3. Composition

3.1 Substances

Component CAS No. EC No.		REACH No. Conc v		ac w/w CLP Classification (1272/2008/CE)	
Sodium silicate	1344-09-8	215-687-4	01-2119448725-31-XXXX	~30%	Skin Corr. 1A,STOT SE 3 (I)

Section 4. First Aid

4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL

ATTENTION URGENTLY.

Skin Wash off skin thoroughly with water. Remove contaminated clothing immediately avoiding contamination of

unaffected areas. In severe cases or if exposure has been great, OBTAIN MEDICAL ATTENTION.

Inhalation Remove from exposure.

Ingestion If conscious give plenty of water to drink. Do not induce vomiting. OBTAIN MEDICAL ATTENTION

URGENTLY.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards Presents no specific fire danger.

5.3 Advice for firefighters

Advice for firefighters Consider all other materials in the vicinity.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Use approved personal protective equipment. Evacuate area immediately. Do not allow other people to enter area.

Do not allow general use of area until it is safe to do so.

6.2 Environmental precautions

Environmental Keep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify the Environmental

Agency and local Environmental Health Officer if major spillage occurs.

6.3 Methods and material for containment and cleaning up

Major Spillage Contain spill with inert material. Transfer absorbent to container for removal and disposal as solid chemical

waste. Wash area down with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term (8hr TWA)	Short Term 15min period)	
Sodium silicate	1344-09-8	~30%	-	-	-	-

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

Respiratory Protection Presents no significant inhalation health hazard.

Hand Protection Use nitrile gloves or PVC gauntlets.

Skin Protection If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid.

Odour Odourless. pН 14 @ 20°C **Boiling Point** Aqueous solution Melting Point Not applicable Flash Point Not applicable Upper Flammable Limit Not applicable Lower Flammable Limit Not applicable Auto Ignition Not applicable

Explosive Properties No. Oxidising Properties No.

Vapour Pressure Not applicable Relative Density 1.4200

Water Solubility Completely soluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous

reactions

No data available.

10.4 Conditions to Avoid

No specific conditions.

10.5 Incompatible materials

Acids. Reacts with aluminium and zinc to produce extremely flammable hydrogen gas.

10.6 Hazardous Decomposition

Products

None unusual

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes The liquid is be extremely irritating to eyes and can cause chemical eye burns.

Skin The liquid is irritating to the skin.

LD50 Skin Not available

Ingestion Ingestion will cause severe mouth burns, and if swallowed extensive damage to the oesophagus.

LD50 Oral Not available

Inhalation Presents no significant health hazard by inhalation.

LD50 Inhalation Not available TCLo Not available

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

Section 12. Ecological

12.1 Toxicity Small amounts present no specific environmental hazard. Neutralised material presents no specific environmental

hazard.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential No data available.12.4 Mobility in soil No data available.

12.5 Results of PBT & vPvB

assessment

Assessment not required.

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Flush to drain.

Contaminated Packaging Wash out containers with water. Use a licensed waste disposer.

Section 14. Transport Information

14.1 UN Number 3266

14.2 Proper Shipping Name Corrosive liquid, basic, inorganic, N.O.S.

(Sodium silicate solution)

14.3 Transport classes

UN classification 8
Subsidiary hazard(s) None
Transport category 3
ADR Hazard ID 80
Tunnel Restriction Code E

14.4 Packing Group III

14.5 Environment hazards See section 12.

14.6 Special precautions for No special precautions required.

user

14.7 Transport in bulk Not transported in bulk.

Section 15. Regulatory Information

 $15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE) as amended by GB-CLP Regulation, UK SI 2019/720 & UK SI 2020/1567

Classification Skin corrosion/irritation, category 1A; Spec target organ tox - single, category 3

Signal word Danger

Hazard Pictograms





Hazard Statements H314, H335

Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary Statements P280, P264, P363, P301+P330+P331, P303+P361+P353, P305+P351+P338

Wear protective gloves / protective clothing / eye protection. Wash thoroughly after handling. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing.

CORROSIVE

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 2.0 (Supercedes revision 1.3)

Revision date: 29 June 2023

Reviewed by chemist: 29 June 2023

Printed date: 18 September 2025

Copyright: 2025 Trafalgar Chemicals